


Via Maltese, 62/64 - 90146 Palermo (PA) - Italia  
 Tel. 091 685 1784 Mobile +39 351 8753628  
 e-mail: info@allfoodproject.com website: www.allfoodproject.com.com  
 C.F. GLLBGI66L21G273C VAT Number 03765550821 Company Registered Number 162241

Estimate No. **6931** of the **04/19/2026**

**Info**

CALL us for FREE consulting service Tel 091 685 1784 or CHAT with us on Whatsapp +393518753628



| Cod. art. | Description  | Qty | Price | Discount | Amount           |
|-----------|--|-----|-------|----------|------------------|
| AFP/014   | Static refrigerated bar counter<br>BBL3500AB5P with provision for counter top<br><br> <ul style="list-style-type: none"> <li>- Semi-finished product to be covered with panels, built-in condensing unit - Power supply v 230 / 50hz single-phase</li> <li>- Plan with overgrown - Measurements cm l 350 xp 70 xh 113.1</li> </ul> | 1   |       |          | <b>€5,089.00</b> |

**Accessories :**

- Additional glass door for N. 1 compartment - For ventilated refrigeration unit
- Door for 1 cold room compartment
- Double door for beer nr. 2 compartments - For refrigerated room
- Extra charge for telescopic drawer nr. 2 GN 1/2 drawers - For refrigerated room - For nr. 1 compartment
- Extra charge for telescopic drawer nr. 3 drawers Gn 1/3 height 14,1 cm - For refrigerated room - For nr. 1 compartment
- Glass hatch for nr. 1 compartment - For static refrigerated compartment
- Structure for without counter top
- Telescopic chest of drawers nr. 2 drawers ( Nr. 1 drawer from Gn 1/3 H 14,1 cm + 1 drawer from Gn 2/3 h 34 cm ) - For refrigerated room - For nr. 1 compartment

**Optionals :**

- ADDITIONAL PLASTIC-COATED WIRE GRILLE PROF. Cm 68,5 (deducted when replacing the door with the drawer unit)
- CANOTTLES FOR BOTTLES Ø mm 95
- CASH DRAWER - FOR NEUTRAL COMPARTMENT
- DOUBLE ROUND SINK cm Ø 42 x h. cm 17 WITH DISCHARGE - WELDED ON STAINLESS STEEL TOP
- INTERNAL LIGHTING FOR COLD ROOMS (N.1 LED)
- KIT NO. 1 LOCK
- PST GRID FOR COLD STORE BOTTOM
- ROUND SINK cm Ø 42 x h. cm 17 WITH DISCHARGE - WELDED ON STAINLESS STEEL TOP
- SINGLE LEVER MIXER - Height cm 17 - Height with raised lever cm 27,7
- SQUARE WASHBASIN WITH DISCHARGE cm W 40 x D 40 x h 20 WELDED ON STAINLESS STEEL TOP
- STAINLESS STEEL GRID FOR BOTTOM OF COLD ROOM
- SUPPLEMENTARY STAINLESS STEEL BOX GRATING PROF. 68.5 cm
- VENTILATION KIT WITH 1 FAN FOR REFRIGERATED COUNTERS WITH DISPLAYED EVAPORATOR (compulsory with glass doors)
- VENTILATION KIT WITH 2 FANS FOR REFRIGERATED COUNTERS WITH EVAPORATOR (mandatory with glass doors)

**Refrigeration :**

- static
- static with retractable evaporator
- ventilated

## Technical Sheet

|  |  |
|--|--|
| Door compartment 60 x 44 cm  | Semi-finished paneled front panel  |
| Worktop with overgrown   | Supporting structure in tubular steel  |
| Moving height cm 95  | Size cm l 350 xp 70 xh 113.1   |
| Cell temperature C + 4 / + 8   | Water drain cell with 1/2 "connection  |
| External side panels in plasticized sheet (semi-finished for paneling) | Versions available with smooth top without overgrowth and / or without counter top |
| Automatic defrosting   | Sink water supply with 3/8 "connection for single lever faucet                     |
| Walls and bottom of the stainless steel cell                           | In version without condensing unit or with remote condensing unit                  |
| EC STANDARD  | Refrigerated cell with polyurethane insulation Monobloc                            |
| Number 5 refrigerated counters   | Adjustable feet  |
| Walls and bottom of the AISI stainless steel cell                      | In version without condensing unit or with remote condensing unit                  |



[+ Add Product](#)



For countries outside of Italy, shipping costs may vary. We will send you a quotation after receiving this order confirmation.

---

Pursuant to Legislative Decree 196/2003 we only use your data for the purpose of communicating with existing commercial relations between us.  
Please check your personal data, VAT number and Tax Code. We are not responsible for any errors.